IMPORT HEALTH REQUIREMENTS OF MALAYSIA FOR BOVINE SEMEN EXPORTED FROM THE UNITED STATES

The semen must be accompanied by a U.S. Origin Health Certificate issued by a veterinarian authorized by the U.S. Department of Agriculture (USDA) and endorsed by a Veterinary Services (VS) veterinarian. The certificate shall contain the name and address of both the consignor and consignee and complete identification of the semen to be exported. Additional information shall include:

CERTIFICATION STATEMENTS

- 1. The semen is derived from a semen collection center which is under the supervision of a USDA Accredited Veterinarian.
- 2. The United States has been free of foot-and-mouth disease and rinderpest for the six (6) months immediately preceding the collection of semen and until the time of export.
- 3. The donor bulls have been resident in the semen collection center for at least six (6) months prior to the date of collection.
- 4. The semen collection center has been free of any clinical signs of enzootic bovine leukosis for the 12 months prior to the date of collection.
- 5. The donor bulls were negative to the following tests within 6 months prior to the semen collection date:
 - a. Tuberculosis intradermal caudal fold test
 - b. IBR serum neutralization test at 1:8 dilution IF POSITIVE - negative virus isolation from semen for export (one passage in cell culture)
 - c. Bluetongue agar gel immunodiffusion test IF POSITIVE - negative virus isolation from whole blood on the day of collection.
 - d. Brucellosis standard tube or standard plate test at 1:50 dilution, 2 tests at 6 month intervals with the last test conducted within 6 months of the semen collection date AND semen plasma agglutination test at 1:25 dilution
 - e. Leptospirosis microtiter agglutination test at 1:400 dilution, 2 tests at 6 month intervals with the last test conducted within 6 months of the semen collection date.

f. Vibriosis and trichomoniasis - culture of preputial washings or swabs, 2 negative cultures at 6 month intervals with the last culture conducted within 6 months of the semen collection date.

OTHER NOTES: An import license issued by the Director General State Veterinary Director concerned permitting the import of such semen into the States/State of Peninsular Malaysia is required.

Health Certificate Issued		Health Certificate # (Valid Only if the USDA Veterinary Seal Appears Over the Certificate Number)						
U.S. ORIGIN HEALTH CER BOVINE		E FOR THE O MALAYSIA		1 OF				
Country of origin: United S State of origin: Authorized Accredited Veter								
I. Donor Animal and Semen	Identif	ication:						
	enti-		Dates of Collection	Codes				
II. Origin of Semen:								
Name and address of se	men coll	ection cer	nter:					
Name and Address of the	e Consig	nor:						
III. Destination of the sem	en:							
Name and Address of Co	Name and Address of Consignee:							
Method of transport:								

Meààybi€éSemém cate No	•		(Valid	only	if	the	USDA
Veterinary Seal		_					

Appears Over the Certificate Number)

IV. CERTIFICATION STATEMENTS

- I, the undersigned accredited veterinarian authorized by the USDA, hereby certify that the above mentioned and identified bovine semen fulfills the following requirements and conditions:
- 1. The United States has been free of foot-and-mouth disease and rinderpest for the six (6) months immediately preceding the collection of semen and until the time of export.
- 2. The semen is derived from a semen collection center which is under the supervision of a USDA Accredited Veterinarian.
- 3. The donor bulls have been resident in the semen collection center for at least six (6) months prior to the date of collection.
- 4. The semen collection center has been free of any clinical signs of enzootic bovine leukosis for the 12 months prior to the date of collection.
- 5. The donor bulls were negative to the following tests within 6 months prior to the semen collection date:
 - a. Tuberculosis intradermal caudal fold test
- b. IBR serum neutralization test at 1:8 dilution
 ** -if positive negative viral isolation from semen for export (one passage in cell culture)
- c. Bluetongue agar gel immunodiffusion test
 ** if positive negative viral isolation from whole blood on the day of collection.
 - d. Brucellosis standard tube or standard plate test at 1:50 dilution 2 tests at 6 month intervals with the last test conducted within 6 months of the semen collection date. AND
 - semen plasma agglutination test at 1:25 dilution
 - e. Leptospirosis microtiter agglutination test at 1:400 dilution, 2 tests at 6 month intervals with the last test conducted within 6 months of the semen collection date.

MΔ	Τ.	י ת	vq	т	7\	/	Q.	F.	M	F	N	Г
ᄞᄱ	. 1 1	А	Υ. ``		А	/	. ¬	н.	I۷I	н.	I١	ı

Health Certificate No.______
(Valid Only if the USDA Veterinary Seal Appears Over the Certificate Number)

Meààyhi€∉Semémcate No	(Valid only if the U	SDA
Veterinary Seal		

Appears Over the Certificate Number)

f. Vibriosis and trichomoniasis - culture of preputial washings or swabs, 2 negative cultures at 6 month intervals with the last culture conducted within 6 months of the semen collection date.

Issu	ing	Veterina	 Fe (V		
					 Se er
Name	and	Address	of	Issuing	

** delete if not applicable

Accredited Veterinarian

Federal Veterinarian (Valid only if USDA Veterinary Seal Appears over signature of endorsing Federal Veterinarian

Name of Federal Veterinarian and date endorsed